

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1359	709/250.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 17:26
S2	42	S1 and infiniband	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 13:54
S3	0	(channel adj2 adapter) and (detect\$3 adj2 acknowledgement) with table	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 13:55
S4	0	infiniband and (detect\$3 adj2 acknowledgement) with table	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 13:55
S5	34	infiniband and (receiv\$3 adj2 acknowledgement)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:03
S6	8	infiniband and stor\$3 with table with acknowledgement	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:07
S7	0	infiniband with table with acknowledgement	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:06
S8	2	stor\$3 with table with acknowledgement and multiple adj2 entr\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:10

S9	17	stor\$3 with table with (buffer adj2 manager)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 14:10
S10	0	((hash adj2 table) or list) with (multiple adj2 entries) and infiniband	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 16:16
S11	352	((hash adj2 table) or list) with (multiple adj2 entries)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 16:17
S12	28767	S11 and detect\$3 acknowledgement	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 16:17
S13	0	S11 and detect\$3 adj2 acknowledgement	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 16:18
S14	1	S11 and receiv\$3 adj2 acknowledgement	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 16:19
S15	11	S11 and queue adj2 entries	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 16:22
S16	306	infiniband and (table or (hash adj table) or list) with entr\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 16:23

S17	20	infiniband and (table or (hash adj table) or list) with multiple near3 entri\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 16:28
S18	0	(receiv\$3 or detect\$3) near3 acknowledgement near3 infiniband near3 protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 16:29
S19	0	(receiv\$3 or detect\$3) near3 acknowledgement with (infiniband near3 protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 16:30
S20	37	stor\$3 with work with queue with entry	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 16:31
S21	75	stor\$3 with work with entries with table	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 17:33
S22	126	queue adj2 entry\$3 and sequence adj2 number and acknowledgement	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 17:34
S23	405450	S22 and table or list	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 17:34
S24	123	S22 and (table or list)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 17:34

S25	1452	710/22,308,310.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 18:54
S26	39	S25 and infiniband	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/06/14 18:55
S27	3329	709/250,212,213,214,215,216.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 17:27
S28	30	S27 and infiniband and (host adj channel adj adapter)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 17:28
S29	5	S28 and (link\$2 near3 list\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 13:14
S30	2	("6697380").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 13:15